

| 調査項目 | 水 域 名 | 調査地点 | 東京湾 | | | | 東京湾 | | | | 東京湾 | | | |
|-------------------|-------------|---------|----------|-------|-------|-------|-----------|-------|-------|-------|--------------|-------|-------|-------|
| | | | st.1 浮島沖 | | | | st.2 東扇島沖 | | | | st.3 京浜運河千鳥町 | | | |
| | | | 上層 | 下層 | 2層混合 | 上下層平均 | 上層 | 下層 | 2層混合 | 上下層平均 | 上層 | 下層 | 2層混合 | 上下層平均 |
| 天候 | | | 曇 | | | | 曇 | | | | 曇 | | | |
| 採取時刻 | (時:分) | | 08:22 | | | | 08:40 | | | | 10:55 | | | |
| 全水深 | (m) | | 27.9 | | | | 29.6 | | | | 15.1 | | | |
| 採取水深 | (m) | | 0.5 | 26.9 | | | 0.5 | 28.6 | | | 0.5 | 14.1 | | |
| 干潮時刻 | (時:分) | | 6:24 | | | | 6:24 | | | | 6:24 | | | |
| 満潮時刻 | (時:分) | | 13:28 | | | | 13:28 | | | | 13:28 | | | |
| 気温 | () | | 23.0 | | | | 23.0 | | | | 23.2 | | | |
| 水温 | () | | 23.8 | 16.8 | | 20.3 | 23.8 | 16.7 | | 20.3 | 24.7 | 19.2 | | 22.0 |
| 色相 | | | 緑褐色・中 | | | | 緑褐色・中 | | | | 灰黄緑色・暗 | | | |
| 臭気 | | | 無臭 | | | | 無臭 | | | | 無臭 | | | |
| 透明度 | (m) | | 1.5 | | | | 2.0 | | | | 2.2 | | | |
| 外観 | | | 08 | | | | 08 | | | | 00 | | | |
| pH | | | 8.5 | 7.8 | | 8.2 | 8.4 | 7.8 | | 8.1 | 8.3 | 7.9 | | 8.1 |
| DO | (mg/L) | 0.1 | 8.1 | 1.1 | | 4.6 | 7.7 | 1.4 | | 4.6 | 6.8 | 2.2 | | 4.5 |
| COD | (mg/L) | 0.1 | 4.5 | 0.8 | | 2.7 | 4.3 | 1.2 | | 2.8 | 3.9 | 1.5 | | 2.7 |
| 大腸菌群数 | (MPN/100mL) | 2 | | | | | | | | | | | | |
| n-ヘキサン抽出物質 | (mg/L) | 0.5 | | | | | | | | | | | | |
| 全窒素 | (mg/L) | 0.02 | 1.2 | 0.43 | | 0.82 | 1.1 | 0.42 | | 0.76 | 1.4 | 0.54 | | 0.97 |
| 全燐 | (mg/L) | 0.003 | 0.13 | 0.12 | | 0.13 | 0.13 | 0.097 | | 0.11 | 0.14 | 0.11 | | 0.13 |
| 全亜鉛 | (mg/L) | 0.001 | | | 0.008 | | | | 0.006 | | | | 0.004 | |
| カドミウム | (mg/L) | 0.001 | | | | | | | | | | | | |
| 全シアン | (mg/L) | 0.1 | | | | | | | | | | | | |
| 鉛 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 六価クロム | (mg/L) | 0.02 | | | | | | | | | | | | |
| 砒素 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 総水銀 | (mg/L) | 0.0005 | | | | | | | | | | | | |
| アルキル水銀 | (mg/L) | 0.0005 | | | | | | | | | | | | |
| P C B | (mg/L) | 0.0005 | | | | | | | | | | | | |
| ジクロロメタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| 四塩化炭素 | (mg/L) | 0.0002 | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/L) | 0.0004 | | | | | | | | | | | | |
| 1,1-ジクロロエタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| トリス(1,2-ジクロロエタン) | (mg/L) | 0.004 | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン | (mg/L) | 0.0006 | | | | | | | | | | | | |
| トリクロロエタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| トリクロロエタン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| 1,3-ジクロロプロパン | (mg/L) | 0.0002 | | | | | | | | | | | | |
| チウラム | (mg/L) | 0.0006 | | | | | | | | | | | | |
| シマジン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| チオベンカルブ | (mg/L) | 0.002 | | | | | | | | | | | | |
| ベンゼン | (mg/L) | 0.001 | | | | | | | | | | | | |
| セレン | (mg/L) | 0.002 | | | | | | | | | | | | |
| 亜硝酸性窒素 | (mg/L) | 0.05 | - | - | | | - | - | | | - | - | | |
| 硝酸性窒素 | (mg/L) | 0.05 | 0.29 | 0.23 | | | 0.19 | 0.29 | | | 0.40 | 0.19 | | |
| 亜硝酸性窒素及び硝酸性窒素(含量) | (mg/L) | 0.1 | 0.34 | 0.28 | | | 0.24 | 0.34 | | | 0.45 | 0.24 | | |
| クロロホルム | (mg/L) | 0.006 | | | | | | | | | | | | |
| トランス-1,2-ジクロロエタン | (mg/L) | 0.004 | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/L) | 0.006 | | | | | | | | | | | | |
| p-ジクロロベンゼン | (mg/L) | 0.03 | | | | | | | | | | | | |
| イソキサチオン | (mg/L) | 0.0008 | | | | | | | | | | | | |
| ダイアジン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| フェニトロチオン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| イソプロチオラン | (mg/L) | 0.004 | | | | | | | | | | | | |
| オキシ銅 | (mg/L) | 0.005 | | | | | | | | | | | | |
| クロロタロニル | (mg/L) | 0.004 | | | | | | | | | | | | |
| プロピザミド | (mg/L) | 0.0008 | | | | | | | | | | | | |
| E P N | (mg/L) | 0.0006 | | | | | | | | | | | | |
| ジクロロボス | (mg/L) | 0.001 | | | | | | | | | | | | |
| フェノブカルブ | (mg/L) | 0.004 | | | | | | | | | | | | |
| イプロベンホス | (mg/L) | 0.0008 | | | | | | | | | | | | |
| クロロニトロフェン | (mg/L) | 0.0001 | | | | | | | | | | | | |
| トルエン | (mg/L) | 0.06 | | | | | | | | | | | | |
| キシレン | (mg/L) | 0.04 | | | | | | | | | | | | |
| フタル酸ジエチル | (mg/L) | 0.006 | | | | | | | | | | | | |
| モリブデン | (mg/L) | 0.007 | | | | | | | | | | | | |
| アンチモン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| ニッケル | (mg/L) | 0.008 | | | | | | | | | | | | |
| フェノール | (mg/L) | 0.001 | | | | | | | | | | | | |
| ホルムアルデヒド | (mg/L) | 0.003 | | | | | | | | | | | | |
| 塩化ビニルモノマー | (mg/L) | 0.0002 | | | | | | | | | | | | |
| エピクロロヒドリン | (mg/L) | 0.00003 | | | | | | | | | | | | |
| 1,4-ジオキサソ | (mg/L) | 0.005 | | | | | | | | | | | | |
| ウラン | (mg/L) | 0.0002 | | | | | | | | | | | | |
| フェノール類 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 銅 | (mg/L) | 0.01 | | | | | | | | | | | | |
| 溶解性鉄 | (mg/L) | 0.02 | | | | | | | | | | | | |
| 溶解性マンガン | (mg/L) | 0.01 | | | | | | | | | | | | |
| アンモニア性窒素 | (mg/L) | 0.04 | 0.09 | 0.04 | | | 0.06 | - | | | 0.26 | 0.13 | | |
| 磷酸態燐 | (mg/L) | 0.001 | 0.042 | 0.10 | | | 0.054 | 0.080 | | | 0.066 | 0.096 | | |
| 塩分 | | 2 | 27.24 | 33.94 | | | 28.98 | 33.86 | | | 28.85 | 32.63 | | |
| クロロフィルa | (mg/m3) | 0.1 | 29 | | | | 41 | | | | 26 | | | |
| フェオフィチン | (mg/m3) | 0.1 | 3.8 | | | | 5.1 | | | | 4.7 | | | |
| 陰イオン界面活性剤 | (mg/L) | 0.03 | | | | | | | | | | | | |
| 非イオン界面活性剤 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 蛍光増白剤 | (μg/L) | 0.2 | | | | | | | | | | | | |
| T P T | (μg/L) | 0.006 | | | | | | | | | | | | |
| T B T | (μg/L) | 0.002 | | | | | | | | | | | | |

水質調査結果表（海域）
平成19年度

速報値

| 調査項目 | 水 域 名 | 調査地点 | 東京湾 | | | | 東京湾 | | | | 東京湾 | | | |
|-------------------|-------------|---------|--------------|-------|-------|-------|-------------|-------|-------|-------|----------|-------|-------|-------|
| | | | st.4 東扇島防波堤西 | | | | st.5 京浜運河扇町 | | | | st.6 扇島沖 | | | |
| | | | 上層 | 下層 | 2層混合 | 上下層平均 | 上層 | 下層 | 2層混合 | 上下層平均 | 上層 | 下層 | 2層混合 | 上下層平均 |
| 天候 | | 報告月・日 | 7月4日 | | | | 7月4日 | | | | 7月4日 | | | |
| 採取時刻 | (時:分) | 下限値 | 曇 | | | | 曇 | | | | 曇 | | | |
| 全水深 | (m) | | 09:26 | | | | 10:02 | | | | 09:08 | | | |
| 採取水深 | (m) | | 0.5 | 16.5 | | | 0.5 | 13.0 | | | 0.5 | 26.3 | | |
| 干潮時刻 | (時:分) | | 6:24 | | | | 6:24 | | | | 6:24 | | | |
| 満潮時刻 | (時:分) | | 13:28 | | | | 13:28 | | | | 13:28 | | | |
| 気温 | () | | 23.0 | | | | 23.0 | | | | 23.0 | | | |
| 水温 | () | | 24.0 | 17.8 | | 20.9 | 24.2 | 19.9 | | 22.1 | 23.8 | 17.0 | | 20.4 |
| 色相 | | | 緑褐色・中 | | | | 茶色・中 | | | | 緑褐色・中 | | | |
| 臭気 | | | 無臭 | | | | 無臭 | | | | 無臭 | | | |
| 透明度 | (m) | | 1.6 | | | | 1.5 | | | | 2.0 | | | |
| 外観 | | | 08 | | | | 08 | | | | 08 | | | |
| pH | | | 8.4 | 8.0 | | 8.2 | 8.5 | 7.9 | | 8.2 | 8.5 | 7.9 | | 8.2 |
| DO | (mg/L) | 0.1 | 7.6 | 3.0 | | 5.3 | 7.7 | 1.4 | | 4.6 | 8.3 | 2.1 | | 5.2 |
| COD | (mg/L) | 0.1 | 4.4 | 1.4 | | 2.9 | 6.3 | 1.8 | | 4.1 | 4.4 | 0.9 | | 2.7 |
| 大腸菌群数 | (MPN/100mL) | 2 | | | | | | | | | | | | |
| n-ヘキサン抽出物質 | (mg/L) | 0.5 | | | | | | | | | | | | |
| 全窒素 | (mg/L) | 0.02 | 1.2 | 0.41 | | 0.81 | 2.0 | 0.61 | | 1.3 | 0.95 | 0.38 | | 0.67 |
| 全燐 | (mg/L) | 0.003 | 0.14 | 0.086 | | 0.11 | 0.24 | 0.14 | | 0.19 | 0.11 | 0.093 | | 0.10 |
| 全亜鉛 | (mg/L) | 0.001 | | | 0.005 | | | | 0.007 | | | | 0.004 | |
| カドミウム | (mg/L) | 0.001 | | | | | | | | | | | | |
| 全シアン | (mg/L) | 0.1 | | | | | | | | | | | | |
| 鉛 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 六価クロム | (mg/L) | 0.02 | | | | | | | | | | | | |
| 砒素 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 総水銀 | (mg/L) | 0.0005 | | | | | | | | | | | | |
| アルキル水銀 | (mg/L) | 0.0005 | | | | | | | | | | | | |
| P C B | (mg/L) | 0.0005 | | | | | | | | | | | | |
| ジクロロメタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| 四塩化炭素 | (mg/L) | 0.0002 | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/L) | 0.0004 | | | | | | | | | | | | |
| 1,1-ジクロロエタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| トリス(1,2-ジクロロエタン) | (mg/L) | 0.004 | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン | (mg/L) | 0.0006 | | | | | | | | | | | | |
| トリクロロエタン | (mg/L) | 0.002 | | | | | | | | | | | | |
| トリクロロエタン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| 1,3-ジクロロプロパン | (mg/L) | 0.0002 | | | | | | | | | | | | |
| チウラム | (mg/L) | 0.0006 | | | | | | | | | | | | |
| シマジン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| チオベンカルブ | (mg/L) | 0.002 | | | | | | | | | | | | |
| ベンゼン | (mg/L) | 0.001 | | | | | | | | | | | | |
| セレン | (mg/L) | 0.002 | | | | | | | | | | | | |
| 亜硝酸性窒素 | (mg/L) | 0.05 | - | - | | | - | - | | | - | - | | |
| 硝酸性窒素 | (mg/L) | 0.05 | 0.14 | 0.20 | | | 0.42 | 0.16 | | | 0.10 | 0.29 | | |
| 亜硝酸性窒素及び硝酸性窒素(含量) | (mg/L) | 0.1 | 0.19 | 0.25 | | | 0.47 | 0.21 | | | 0.15 | 0.34 | | |
| クロロホルム | (mg/L) | 0.006 | | | | | | | | | | | | |
| トランス-1,2-ジクロロエタン | (mg/L) | 0.004 | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/L) | 0.006 | | | | | | | | | | | | |
| p-ジクロロベンゼン | (mg/L) | 0.03 | | | | | | | | | | | | |
| イソキサチオン | (mg/L) | 0.0008 | | | | | | | | | | | | |
| ダイアジノン | (mg/L) | 0.0005 | | | | | | | | | | | | |
| フェニトロチオン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| イソプロチオラン | (mg/L) | 0.004 | | | | | | | | | | | | |
| オキシシン | (mg/L) | 0.005 | | | | | | | | | | | | |
| クロロタロニル | (mg/L) | 0.004 | | | | | | | | | | | | |
| プロピザミド | (mg/L) | 0.0008 | | | | | | | | | | | | |
| E P N | (mg/L) | 0.0006 | | | | | | | | | | | | |
| ジクロロボス | (mg/L) | 0.001 | | | | | | | | | | | | |
| フェノブカルブ | (mg/L) | 0.004 | | | | | | | | | | | | |
| イプロベンホス | (mg/L) | 0.0008 | | | | | | | | | | | | |
| クロロニトロフェン | (mg/L) | 0.0001 | | | | | | | | | | | | |
| トルエン | (mg/L) | 0.06 | | | | | | | | | | | | |
| キシレン | (mg/L) | 0.04 | | | | | | | | | | | | |
| フタル酸ジエチルヘキシル | (mg/L) | 0.006 | | | | | | | | | | | | |
| モリブデン | (mg/L) | 0.007 | | | | | | | | | | | | |
| アンチモン | (mg/L) | 0.0003 | | | | | | | | | | | | |
| ニッケル | (mg/L) | 0.008 | | | | | | | | | | | | |
| フェノール | (mg/L) | 0.001 | | | | | | | | | | | | |
| ホルムアルデヒド | (mg/L) | 0.003 | | | | | | | | | | | | |
| 塩化ビニルモノマー | (mg/L) | 0.0002 | | | | | | | | | | | | |
| エピクロロヒドリン | (mg/L) | 0.00003 | | | | | | | | | | | | |
| 1,4-ジオキササン | (mg/L) | 0.005 | | | | | | | | | | | | |
| ウラン | (mg/L) | 0.0002 | | | | | | | | | | | | |
| 特殊銅 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 溶解性鉄 | (mg/L) | 0.01 | | | | | | | | | | | | |
| 溶解性マンガン | (mg/L) | 0.02 | | | | | | | | | | | | |
| アンモニア性窒素 | (mg/L) | 0.04 | 0.05 | 0.08 | | | 0.25 | 0.21 | | | - | - | | |
| 磷酸態磷 | (mg/L) | 0.001 | 0.030 | 0.067 | | | 0.082 | 0.11 | | | 0.021 | 0.078 | | |
| 塩分 | | 2 | 29.20 | 33.35 | | | 28.38 | 32.22 | | | 29.56 | 33.90 | | |
| クロロフィルa | (mg/m3) | 0.1 | 37 | | | | 79 | | | | 36 | | | |
| フェオフィチン | (mg/m3) | 0.1 | 5.9 | | | | 11 | | | | 6.5 | | | |
| 陰イオン界面活性剤 | (mg/L) | 0.03 | | | | | | | | | | | | |
| 非イオン界面活性剤 | (mg/L) | 0.005 | | | | | | | | | | | | |
| 蛍光増白剤 | (μg/L) | 0.2 | | | | | | | | | | | | |
| T P T | (μg/L) | 0.006 | | | | | | | | | | | | |
| T B T | (μg/L) | 0.002 | | | | | | | | | | | | |

- - は報告下限値未満を示す

水質調査結果表(海域)
平成19年度

速報値

| 調査項目 | 水 域 名 | 調査地点 | 川崎港港内 | | | | 川崎港港内 | | | | 川崎港港内 | | | | | |
|------|-------|-------------------------|-------------|---------|-------|----|-------------|---------|-------|-------|-------------|---------|-------|-------|------|------|
| | | | st.10 末広運河先 | | | | st.11 大師運河先 | | | | st.12 夜光運河先 | | | | | |
| | | | 調査回数 | 報告 | 上層 | 下層 | 2層混合 | 上下層 | 上層 | 下層 | 2層混合 | 上下層 | 上層 | 下層 | 2層混合 | 上下層 |
| | | 月・日 | 下限値 | 7月4日 | | | | 7月4日 | | | | 7月4日 | | | | |
| | | 天候 | | 曇 | | | | 曇 | | | | 曇 | | | | |
| 観 | | 採取時刻 (時:分) | | 11:51 | | | | 11:30 | | | | 11:10 | | | | |
| | | 全水深 (m) | | 11.9 | | | | 14.3 | | | | 7.8 | | | | |
| 測 | | 採取水深 (m) | 0.5 | 10.9 | | | 0.5 | 13.3 | | | 0.5 | 6.8 | | | | |
| | | 干潮時刻 (時:分) | | 6:24 | | | | 6:24 | | | | 6:24 | | | | |
| | | 満潮時刻 (時:分) | | 13:28 | | | | 13:28 | | | | 13:28 | | | | |
| 項 | | 気温 () | | 23.0 | | | | 23.0 | | | | 23.2 | | | | |
| | | 水温 () | | 24.2 | 20.5 | | | 22.4 | 24.8 | 18.6 | | 21.7 | 25.0 | 23.2 | | 24.1 |
| 目 | | 色相 | | 灰黄緑色・暗 | | | | 灰黄緑色・暗 | | | | 灰黄緑色・暗 | | | | |
| | | 臭気 | | 無臭 | | | | 無臭 | | | | 無臭 | | | | |
| | | 透明度 (m) | | 1.7 | | | | 2.5 | | | | 2.1 | | | | |
| | | 外観 | | 00 | | | | 00 | | | | 00 | | | | |
| 生 | | pH | | 7.9 | 7.9 | | | 7.9 | 8.2 | 7.9 | | 8.1 | 8.1 | 8.1 | | 8.1 |
| | | DO (mg/L) | 0.1 | 4.7 | 2.2 | | | 3.5 | 5.6 | 2.0 | | 3.8 | 5.3 | 4.2 | | 4.8 |
| 活 | | COD (mg/L) | 0.1 | 4.0 | 2.1 | | | 3.1 | 3.7 | 1.3 | | 2.5 | 4.0 | 3.4 | | 3.7 |
| 環 | | 大腸菌群数 (MPN/100mL) | 2 | 3.3E+02 | | | | 2.2E+02 | | | | 3.3E+02 | | | | |
| | | n-ヘキサン抽出物質 (mg/L) | 0.5 | - | | | | - | | | | - | | | | |
| 境 | | 全窒素 (mg/L) | 0.02 | 2.8 | 0.86 | | | 1.8 | 1.7 | 0.47 | | 1.1 | 2.3 | 1.1 | | 1.7 |
| | | 全磷 (mg/L) | 0.003 | 0.24 | 0.18 | | | 0.21 | 0.16 | 0.11 | | 0.14 | 0.18 | 0.16 | | 0.17 |
| 目 | | 全亜鉛 (mg/L) | 0.001 | | | | | | | | | | | | | |
| | | カドミウム (mg/L) | 0.001 | | | | | | | | | | | | | |
| 健 | | 全シアン (mg/L) | 0.1 | | | | | | | | | | | | | |
| | | 鉛 (mg/L) | 0.005 | | | | | | | | | | | | | |
| 康 | | 六価クロム (mg/L) | 0.02 | | | | | | | | | | | | | |
| | | 砒素 (mg/L) | 0.005 | | | | | | | | | | | | | |
| 項 | | 総水銀 (mg/L) | 0.0005 | | | | | | | | | | | | | |
| | | アルキル水銀 (mg/L) | 0.0005 | | | | | | | | | | | | | |
| 目 | | PCB (mg/L) | 0.0005 | | | | | | | | | | | | | |
| | | ジクロロメタン (mg/L) | 0.002 | | | | | | | | | | | | | |
| 目 | | 四塩化炭素 (mg/L) | 0.0002 | | | | | | | | | | | | | |
| | | 1,2-ジクロロエタン (mg/L) | 0.0004 | | | | | | | | | | | | | |
| 目 | | 1,1-ジクロロエタン (mg/L) | 0.002 | | | | | | | | | | | | | |
| | | 1,1,1,2-ジクロロエタン (mg/L) | 0.004 | | | | | | | | | | | | | |
| 目 | | 1,1,1-トリクロロエタン (mg/L) | 0.0005 | | | | | | | | | | | | | |
| | | 1,1,2-トリクロロエタン (mg/L) | 0.0006 | | | | | | | | | | | | | |
| 目 | | トリクロロエタン (mg/L) | 0.002 | | | | | | | | | | | | | |
| | | テトラクロロエタン (mg/L) | 0.0005 | | | | | | | | | | | | | |
| 目 | | 1,3-ジクロロベンゼン (mg/L) | 0.0002 | | | | | | | | | | | | | |
| | | チウラム (mg/L) | 0.0006 | | | | | | | | | | | | | |
| 目 | | シマジン (mg/L) | 0.0003 | | | | | | | | | | | | | |
| | | チオベンカルブ (mg/L) | 0.002 | | | | | | | | | | | | | |
| 目 | | ベンゼン (mg/L) | 0.001 | | | | | | | | | | | | | |
| | | セレン (mg/L) | 0.002 | | | | | | | | | | | | | |
| 目 | | 亜硝酸性窒素 (mg/L) | 0.05 | 0.10 | | | | | 0.05 | | | | 0.06 | | | |
| | | 硝酸性窒素 (mg/L) | 0.05 | 1.3 | 0.21 | | | | 0.62 | 0.22 | | | 0.90 | 0.38 | | |
| | | 亜硝酸性窒素及び硝酸性窒素(含量) | 0.1 | 1.4 | 0.26 | | | | 0.67 | 0.27 | | | 0.96 | 0.43 | | |
| 要 | | クロロホルム (mg/L) | 0.006 | | | | | | | | | | | | | |
| | | トランス-1,2-ジクロロエタン (mg/L) | 0.004 | | | | | | | | | | | | | |
| 監 | | 1,2-ジクロロベンゼン (mg/L) | 0.006 | | | | | | | | | | | | | |
| | | p-ジクロロベンゼン (mg/L) | 0.03 | | | | | | | | | | | | | |
| 視 | | イソキサチオン (mg/L) | 0.0008 | | | | | | | | | | | | | |
| | | ダイアジン (mg/L) | 0.0005 | | | | | | | | | | | | | |
| 項 | | フェニトロチオン (mg/L) | 0.0003 | | | | | | | | | | | | | |
| | | イソプロチオラン (mg/L) | 0.004 | | | | | | | | | | | | | |
| 目 | | オキシ銅 (mg/L) | 0.005 | | | | | | | | | | | | | |
| | | クロロタロニル (mg/L) | 0.004 | | | | | | | | | | | | | |
| 目 | | プロピザミド (mg/L) | 0.0008 | | | | | | | | | | | | | |
| | | EPN (mg/L) | 0.0006 | | | | | | | | | | | | | |
| 項 | | ジクロロボス (mg/L) | 0.001 | | | | | | | | | | | | | |
| | | フェノブカルブ (mg/L) | 0.004 | | | | | | | | | | | | | |
| 目 | | イプロベンホス (mg/L) | 0.0008 | | | | | | | | | | | | | |
| | | クロロニトロフェン (mg/L) | 0.0001 | | | | | | | | | | | | | |
| 目 | | トルエン (mg/L) | 0.06 | | | | | | | | | | | | | |
| | | キシレン (mg/L) | 0.04 | | | | | | | | | | | | | |
| 目 | | 7-フルオロフェニル (mg/L) | 0.006 | | | | | | | | | | | | | |
| | | モリブデン (mg/L) | 0.007 | | | | | | | | | | | | | |
| 目 | | アンチモン (mg/L) | 0.0003 | | | | | | | | | | | | | |
| | | ニッケル (mg/L) | 0.008 | | | | | | | | | | | | | |
| 目 | | フェノール (mg/L) | 0.001 | | | | | | | | | | | | | |
| | | ホルムアルデヒド (mg/L) | 0.003 | | | | | | | | | | | | | |
| 目 | | 塩化ビニルモノマー (mg/L) | 0.0002 | | | | | | | | | | | | | |
| | | エピクロロヒドリン (mg/L) | 0.00003 | | | | | | | | | | | | | |
| 目 | | 1,4-ジオキサソ (mg/L) | 0.005 | | | | | | | | | | | | | |
| | | ウラン (mg/L) | 0.0002 | | | | | | | | | | | | | |
| 特 | | フェノール類 (mg/L) | 0.005 | | | | | | | | | | | | | |
| | | 銅 (mg/L) | 0.01 | | | | | | | | | | | | | |
| 項 | | 溶解性鉄 (mg/L) | 0.02 | | | | | | | | | | | | | |
| | | 溶解性マンガン (mg/L) | 0.01 | | | | | | | | | | | | | |
| 目 | | アンモニア性窒素 (mg/L) | 0.04 | | | | | | | | | | | | | |
| | | 磷酸態磷 (mg/L) | 0.001 | | | | | | | | | | | | | |
| そ | | 塩分 | 2 | 22.40 | 31.57 | | | | 28.15 | 32.88 | | | 27.31 | 29.64 | | |
| | | クロロフィルa (mg/m3) | 0.1 | 3.3 | | | | 12 | | | | 16 | | | | |
| 他 | | フェオフィチン (mg/m3) | 0.1 | 3.3 | | | | 3.2 | | | | 4.3 | | | | |
| | | 陰イオン界面活性剤 (mg/L) | 0.03 | | | | | | | | | | | | | |
| 項 | | 非イオン界面活性剤 (mg/L) | 0.005 | | | | | | | | | | | | | |
| | | 蛍光増白剤 (µg/L) | 0.2 | | | | | | | | | | | | | |
| 目 | | TPP (µg/L) | 0.006 | | | | | | | | | | | | | |
| | | TBT (µg/L) | 0.002 | | | | | | | | | | | | | |

- - は報告下限値未満を示す

水質調査結果表(海域)
平成19年度

速報値

| 水 域 名 | | | 川崎港港内 | | | | 川崎港港内 | | | | 川崎港港内 | | | |
|---------|--------------------------|--------------------------|-------------|-------|------|-----------|-------------|------|------|-----------|--------------|------|------|-----------|
| 調 査 項 目 | 調査地点 | 調査回数 報告 月・日 下限値 | st.13 桜堤運河先 | | | | st.14 池上運河先 | | | | st.15 南渡田運河先 | | | |
| | | | 上 層 | 下 層 | 2層混合 | 上下層 平均 | 上 層 | 下 層 | 2層混合 | 上下層 平均 | 上 層 | 下 層 | 2層混合 | 上下層 平均 |
| | | | 7月4日 | | | | 7月4日 | | | | 7月4日 | | | |
| 観 | 天 候 | | 曇 | | | | 曇 | | | | 曇 | | | |
| 測 | 採取時刻 (時:分) | | 10:35 | | | | 10:19 | | | | 09:45 | | | |
| | 全水深 (m) | | 9.4 | | | | 12.9 | | | | 9.5 | | | |
| 測 | 採取水深 (m) | | 0.5 | 8.4 | | | 0.5 | 11.9 | | | 0.5 | 8.5 | | |
| | 干潮時刻 (時:分) | | 6:24 | | | | 6:24 | | | | 6:24 | | | |
| 項 | 満潮時刻 (時:分) | | 13:28 | | | | 13:28 | | | | 13:28 | | | |
| | 気 温 () | | 23.2 | | | | 23.2 | | | | 23.0 | | | |
| 目 | 水 温 () | | 24.4 | 22.2 | | 23.3 | 24.3 | 20.3 | | 22.3 | 25.1 | 22.2 | | 23.7 |
| | 色 相 | | 灰黄緑色・暗 | | | | 灰黄緑色・暗 | | | | 灰黄緑色・暗 | | | |
| 目 | 臭 気 | | 無 臭 | | | | 無 臭 | | | | 無 臭 | | | |
| | 透明度 (m) | | 2.4 | | | | 2.2 | | | | 2.6 | | | |
| 目 | 外 観 | | 00 | | | | 00 | | | | 00 | | | |
| | pH | | 8.2 | 8.0 | | 8.1 | 8.2 | 8.0 | | 8.1 | 7.9 | 8.1 | | 8.0 |
| 生 | DO (mg/L) | 0.1 | 6.5 | 3.4 | | 5.0 | 6.2 | 3.0 | | 4.6 | 5.1 | 4.0 | | 4.6 |
| | COD (mg/L) | 0.1 | 4.5 | 2.7 | | 3.6 | 4.0 | 1.7 | | 2.9 | 3.2 | 2.3 | | 2.8 |
| 環 | 大腸菌群数 (MPN/100mL) | 2 | 3.3E+02 | | | | 1.7E+03 | | | | 4.9E+02 | | | |
| | n-ヘキサン抽出物質 (mg/L) | 0.5 | - | | | | - | | | | - | | | |
| 目 | 全窒素 (mg/L) | 0.02 | 2.0 | 1.0 | | 1.5 | 1.8 | 0.57 | | 1.2 | 1.9 | 0.94 | | 1.4 |
| | 全 磷 (mg/L) | 0.003 | 0.24 | 0.17 | | 0.21 | 0.21 | 0.12 | | 0.17 | 0.16 | 0.14 | | 0.15 |
| 目 | 全 亜 鉛 (mg/L) | 0.001 | | | | | | | | | | | | |
| | カドミウム (mg/L) | 0.001 | - | | | | - | | | | - | | | |
| 健 | 全シアン (mg/L) | 0.1 | - | | | | - | | | | - | | | |
| | 鉛 (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 康 | 六価クロム (mg/L) | 0.02 | - | | | | - | | | | - | | | |
| | 砒 素 (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 目 | 総水銀 (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| | アルキル水銀 (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| 目 | P C B (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| | ジクロロメタン (mg/L) | 0.002 | - | | | | - | | | | - | | | |
| 目 | 四塩化炭素 (mg/L) | 0.0002 | - | | | | - | | | | - | | | |
| | 1,2-ジクロロエタン (mg/L) | 0.0004 | - | | | | - | | | | - | | | |
| 目 | 1,1-ジクロロエタン (mg/L) | 0.002 | - | | | | - | | | | - | | | |
| | トリス(1,2-ジクロロエタン) (mg/L) | 0.004 | - | | | | - | | | | - | | | |
| 目 | 1,1,1-トリクロロエタン (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| | 1,1,2-トリクロロエタン (mg/L) | 0.0006 | - | | | | - | | | | - | | | |
| 目 | トリクロロエタン (mg/L) | 0.002 | - | | | | - | | | | - | | | |
| | テトラクロロエタン (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| 目 | 1,3-ジクロロプロパン (mg/L) | 0.0002 | - | | | | - | | | | - | | | |
| | チウラム (mg/L) | 0.0006 | - | | | | - | | | | - | | | |
| 目 | シマジン (mg/L) | 0.0003 | - | | | | - | | | | - | | | |
| | チオベンカルブ (mg/L) | 0.002 | - | | | | - | | | | - | | | |
| 目 | ベンゼン (mg/L) | 0.001 | - | | | | - | | | | - | | | |
| | セレン (mg/L) | 0.002 | - | | | | - | | | | - | | | |
| 目 | 亜硝酸性窒素 (mg/L) | 0.05 | 0.07 | - | | 0.05 | - | | | 0.08 | - | | | |
| | 硝酸性窒素 (mg/L) | 0.05 | 0.60 | 0.30 | | 0.52 | 0.17 | | | 0.61 | 0.24 | | | |
| 目 | 亜硝酸性窒素及び硝酸性窒素(含量) (mg/L) | 0.1 | 0.67 | 0.35 | | 0.57 | 0.22 | | | 0.69 | 0.29 | | | |
| | クロロホルム (mg/L) | 0.006 | - | | | | - | | | | - | | | |
| 監 | トランス-1,2-ジクロロエタン (mg/L) | 0.004 | - | | | | - | | | | - | | | |
| | 1,2-ジクロロプロパン (mg/L) | 0.006 | - | | | | - | | | | - | | | |
| 目 | p-ジクロロベンゼン (mg/L) | 0.03 | - | | | | - | | | | - | | | |
| | イソキサチオン (mg/L) | 0.0008 | - | | | | - | | | | - | | | |
| 目 | ダイアジノン (mg/L) | 0.0005 | - | | | | - | | | | - | | | |
| | フェニトロチオン (mg/L) | 0.0003 | - | | | | - | | | | - | | | |
| 目 | イソプロチオラン (mg/L) | 0.004 | - | | | | - | | | | - | | | |
| | オキシシン銅 (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 目 | クロロタロニル (mg/L) | 0.004 | - | | | | - | | | | - | | | |
| | プロピザミド (mg/L) | 0.0008 | - | | | | - | | | | - | | | |
| 目 | E P N (mg/L) | 0.0006 | - | | | | - | | | | - | | | |
| | ジクロロボス (mg/L) | 0.001 | - | | | | - | | | | - | | | |
| 目 | フェノバルブ (mg/L) | 0.004 | - | | | | - | | | | - | | | |
| | イプロベンホス (mg/L) | 0.0008 | - | | | | - | | | | - | | | |
| 目 | クロロニトロフェン (mg/L) | 0.0001 | - | | | | - | | | | - | | | |
| | トルエン (mg/L) | 0.06 | - | | | | - | | | | - | | | |
| 目 | キシレン (mg/L) | 0.04 | - | | | | - | | | | - | | | |
| | フタル酸ジエチル (mg/L) | 0.006 | - | | | | - | | | | - | | | |
| 目 | モリブデン (mg/L) | 0.007 | - | | | | - | | | | - | | | |
| | アンチモン (mg/L) | 0.0003 | - | | | | - | | | | - | | | |
| 目 | ニッケル (mg/L) | 0.008 | - | | | | - | | | | - | | | |
| | フェノール (mg/L) | 0.001 | - | | | | - | | | | - | | | |
| 目 | ホルムアルデヒド (mg/L) | 0.003 | - | | | | - | | | | - | | | |
| | 塩化ビニルモノマー (mg/L) | 0.0002 | - | | | | - | | | | - | | | |
| 目 | エピクロロヒドリン (mg/L) | 0.00003 | - | | | | - | | | | - | | | |
| | 1,4-ジオキサソ (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 目 | ウラン (mg/L) | 0.0002 | - | | | | - | | | | - | | | |
| | フェノール類 (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 目 | 銅 (mg/L) | 0.01 | - | | | | - | | | | - | | | |
| | 溶解性鉄 (mg/L) | 0.02 | - | | | | - | | | | - | | | |
| 目 | 溶解性マンガン (mg/L) | 0.01 | - | | | | - | | | | - | | | |
| | アンモニア性窒素 (mg/L) | 0.04 | - | | | | - | | | | - | | | |
| 目 | 磷酸態磷 (mg/L) | 0.001 | - | | | | - | | | | - | | | |
| | 塩 分 (mg/m3) | 2 | 26.88 | 29.82 | | 27.87 | 31.92 | | | 25.13 | 29.92 | | | |
| 目 | クロロフィルa (mg/m3) | 0.1 | 17 | | | | 27 | | | | 10 | | | |
| | フェオフィチン (mg/m3) | 0.1 | 6.4 | | | | 6.3 | | | | 4.1 | | | |
| 目 | 陰イオン界面活性剤 (mg/L) | 0.03 | - | | | | - | | | | - | | | |
| | 非イオン界面活性剤 (mg/L) | 0.005 | - | | | | - | | | | - | | | |
| 目 | 蛍光増白剤 (μg/L) | 0.2 | - | | | | - | | | | - | | | |
| | T P T (μg/L) | 0.006 | - | | | | - | | | | - | | | |
| 目 | T B T (μg/L) | 0.002 | - | | | | - | | | | - | | | |

- - は報告下限値未満を示す