

水質調査結果表（測定計画海域）

速報値

平成22年度

水 域 名			東京湾					東京湾					東京湾								
			st.1 浮島沖					st.2 東扇島沖					st.3 京浜運河千島町								
調 査 項 目		調査地点名	定量	上 層			下 層	2層混合	上下層	上 層	下 層	2層混合	上下層	上 層	下 層	2層混合	上下層				
		層	月・日	下限値	7月7日			曇り	平均	7月7日			曇り	平均	7月7日			曇り	平均		
天 候																					
採取時刻			(時：分)	9:29						9:44						8:05					
全水深			(m)	25.0						28.5						14.5					
採取水深			(m)	0.5	24.0					0.5	27.5					0.5	13.5				
干潮時刻			(時：分)	7:08						7:08						7:08					
満潮時刻			(時：分)	14:19						14:19						14:19					
気 温			(℃)	26.0						26.2						25.0					
水 温			(℃)	25.6	17.6		21.6			24.7	17.3		21.0			26.2	17.9		22.1		
色 相				灰黄緑色・暗						灰黄緑色・暗						灰黄緑色・暗					
臭 気				無臭			無臭			無臭			無臭			無臭					
透明度			(m)	1.5						1.9						1.6					
外観コード				08						00						08					
生活環境項目	p H				8.4	7.9		8.2			8.3	7.9		8.1			8.4	7.9		8.2	
	D O			(mg/L)	0.1	7.6	2.5		5.1			6.0	2.2		4.1			8.2	4.5		6.4
	C O D			(mg/L)	0.1	4.5	1.1		2.8			4.1	1.2		2.7			5.1	1.5		3.3
	大腸菌群数			(MPN/100mL)	2																
	n-ヘキサン抽出物質			(mg/L)	0.5																
	全窒素			(mg/L)	0.05	1.9	0.49		1.2			1.3	0.47		0.89			1.5	0.63		1.1
	全 磷			(mg/L)	0.003	0.16	0.081		0.12			0.11	0.090		0.10			0.15	0.10		0.13
	全亜鉛			(mg/L)	0.001	0.005	0.007		0.006			0.007	0.003		0.005			0.011	0.015		0.013
	カドミウム			(mg/L)	0.0008																
	全シアン			(mg/L)	0.01																
健康項目	鉛			(mg/L)	0.005																
	六価クロム			(mg/L)	0.02																
	砒 素			(mg/L)	0.005																
	総水銀			(mg/L)	0.0005																
	アルキル水銀			(mg/L)	0.0005																
	P C B			(mg/L)	0.0005																
	ジクロロメタン			(mg/L)	0.0001																
	四塩化炭素			(mg/L)	0.0001																
	1,2-ジ'クロロエタン			(mg/L)	0.0001																
	1,1-ジ'クロロエチレン			(mg/L)	0.0001																
	シス-1,2-ジ'クロロエチレン			(mg/L)	0.0001																
	1,1,1-トリクロロエタン			(mg/L)	0.0001																
	1,1,2-トリクロロエタン			(mg/L)	0.0001																
	トリクロロエチン			(mg/L)	0.0001																
	テトラクロロエチン			(mg/L)	0.0001																
	1,3-ジ'クロロ'ロベン'			(mg/L)	0.0002																
	チウラム			(mg/L)	0.0005			<0.0005					<0.0005				<0.0005				
	シマジン			(mg/L)	0.0003			<0.0003					<0.0003				<0.0003				
	チオベンカルブ			(mg/L)	0.0003			<0.0003					<0.0003				<0.0003				
	ベンゼン			(mg/L)	0.0001																
セレン			(mg/L)	0.002																	
亜硝酸性窒素			(mg/L)	0.01	0.06	<0.01				0.04	<0.01			0.04	<0.01						
硝酸性窒素			(mg/L)	0.01	0.69	0.25				0.45	0.26			0.34	0.20						
硝酸性窒素及び亜硝酸性窒素			(mg/L)	0.10*	0.75	0.30				0.50	0.31			0.39	0.25						
要 監 視 項 目	1,4-ジオキサン			(mg/L)	0.005																
	クロロホルム			(mg/L)	0.0001																
	トリス-1,2-ジ'クロロエチン			(mg/L)	0.0001																
	1,2-ジ'クロロ'ロベン'			(mg/L)	0.0001																
	p-ジ'クロロベン'ゼン			(mg/L)	0.0001																
	イソキサチオン			(mg/L)	0.0004														<0.0004		
	ダイアジノン			(mg/L)	0.0002														<0.0002		
	フェニトロチオン			(mg/L)	0.0003														<0.0003		
	イソプロチオラン			(mg/L)	0.0003														<0.0003		
	オキシソル			(mg/L)	0.005														<0.005		
	クロタロニル			(mg/L)	0.00007														<0.00007		
	プロピザミド			(mg/L)	0.0002														<0.0002		
	E P N			(mg/L)	0.0005																
	ジクロロボス			(mg/L)	0.00002														<0.00002		
	フェノプロカルブ			(mg/L)	0.00004														<0.00004		
	イプロベンホス			(mg/L)	0.00007														<0.00007		
	クロロニトロフェン			(mg/L)	0.0001														<0.0001		
	トルエン			(mg/L)	0.0001																
	キシレン			(mg/L)	0.0002																
	774酸ジ'エチルキシル			(mg/L)	0.0005																
モリブデン			(mg/L)	0.007																	
アンチモン			(mg/L)	0.0003																	
特殊項目	ニッケル			(mg/L)	0.008																
	フェノール			(mg/L)	0.001																
	ホルムアルデヒド			(mg/L)	0.003																
	塩化ビニルモノマー			(mg/L)	0.0002																
	エピクロヒドリリン			(mg/L)	0.00003																
	全マンガン			(mg/L)	0.01																
	ウラン			(mg/L)	0.0002																
	フェノール類			(mg/L)	0.005																
	銅			(mg/L)	0.004																
	溶解性鉄			(mg/L)	0.02																
その他の項目	溶解性マンガン			(mg/L)	0.01																
	アンモニア性窒素			(mg/L)	0.04	0.18	0.04				0.20	0.06			0.19	0.06					
	磷酸態磷			(mg/L)	0.005	0.090	0.071				0.065	0.078			0.077	0.075					
	塩 分				2	18.97	33.45				23.46	33.67			24.98	33.39					
	クロロフィル a			(mg/m3)	0.1	27					13				34						
	フェオフィチン			(mg/m3)	0.1	7.7					3.8				6.7						
	陰イオン界面活性剤			(mg/L)	0.03																
	非イオン界面活性剤			(mg/L)	0.005																
	蛍光増白剤			(μg/L)	0.2																
	T P T			(μg/L)	0.006																
T B T			(μg/L)	0.002																	

*硝酸性窒素及び亜硝酸性窒素は報告下限値。

水質調査結果表（測定計画海域）

速報値

平成22年度

水 域 名			東京湾				東京湾				東京湾			
			st.4 東扇島防波堤西				st.5 京浜運河扇町				st.6 扇島沖			
			上 層	下 層	2層混合	上下層 平均	上 層	下 層	2層混合	上下層 平均	上 層	下 層	2層混合	上下層 平均
調 査 項 目	調査地点名		7月7日				7月7日				7月7日			
	層		下 限 値				上 限 値				上 限 値			
生 活 環 境 項 目	天 候		曇り				曇り				曇り			
	採取時刻	(時：分)	10:28				10:47				10:05			
	全水深	(m)	17.0				14.0				26.5			
	採取水深	(m)	0.5	16.0			0.5	13.0			0.5	25.5		
	干潮時刻	(時：分)	7:08				7:08				7:08			
	満潮時刻	(時：分)	14:19				14:19				14:19			
	気 温	(℃)	25.4				27.0				26.2			
	水 温	(℃)	25.1	18.4		21.8	26.4	18.4		22.4	25.4	17.3		21.4
	色 相		灰黄緑色・暗				灰黄緑色・暗				灰黄緑色・暗			
	臭 気		無臭				無臭				無臭			
	透明度	(m)	2.3				1.3				1.9			
	外観コード		00				08				08			
	pH		8.4	7.9		8.2	8.5	7.9		8.2	8.5	7.9		8.2
	DO	(mg/L)	0.1	6.9	2.2	4.6	9.2	2.5		5.9	7.5	2.8		5.2
健 康 項 目	COD	(mg/L)	0.1	4.0	1.1	2.6	5.6	1.7		3.7	4.4	2.0		3.2
	大腸菌群数	(MPN/100mL)	2											
	n-ヘキサン抽出物質	(mg/L)	0.5											
	全窒素	(mg/L)	0.05	0.91	0.53	0.72	2.1	0.56		1.3	0.98	0.52		0.75
	全 磷	(mg/L)	0.003	0.083	0.092	0.088	0.21	0.098		0.15	0.094	0.081		0.088
	全亜鉛	(mg/L)	0.001	0.006	0.004	0.005	0.007	0.005		0.006	0.012	0.009		0.011
	カドミウム	(mg/L)	0.0008											
	全シアン	(mg/L)	0.01											
	鉛	(mg/L)	0.005											
	六価クロム	(mg/L)	0.02											
	砒 素	(mg/L)	0.005											
	総水銀	(mg/L)	0.0005											
	アルキル水銀	(mg/L)	0.0005											
	P C B	(mg/L)	0.0005											
要 監 視 項 目	ジクロロメタン	(mg/L)	0.0001											
	四塩化炭素	(mg/L)	0.0001											
	1,2-ジ'クロロエタン	(mg/L)	0.0001											
	1,1-ジ'クロロエチレン	(mg/L)	0.0001											
	トリス-1,2-ジ'クロロエチレン	(mg/L)	0.0001											
	1,1,1-トリクロロエタン	(mg/L)	0.0001											
	1,1,1,2-トリクロロエタン	(mg/L)	0.0001											
	トリクロロエチン	(mg/L)	0.0001											
	テトラクロロエチレン	(mg/L)	0.0001											
	1,3-ジ'クロロ'ロベン'	(mg/L)	0.0002											
	チウラム	(mg/L)	0.0005		<0.0005			<0.0005				<0.0005		
	シマジン	(mg/L)	0.0003		<0.0003			<0.0003				<0.0003		
	チオベンカルブ	(mg/L)	0.0003		<0.0003			<0.0003				<0.0003		
	ベンゼン	(mg/L)	0.0001											
特 殊 項 目	セレン	(mg/L)	0.002											
	亜硝酸性窒素	(mg/L)	0.01	0.02	0.01		0.05	0.02			0.02	0.01		
	硝酸性窒素	(mg/L)	0.01	0.11	0.20		0.38	0.17			0.09	0.18		
	硝酸性窒素及び亜硝酸性窒素	(mg/L)	0.10*	0.16	0.25		0.43	0.22			0.14	0.23		
	1,4-ジオキサン	(mg/L)	0.005											
	クロロホルム	(mg/L)	0.0001											
	トリス-1,2-ジ'クロロエチン	(mg/L)	0.0001											
	1,2-ジ'クロロ'ロベン'	(mg/L)	0.0001											
	p-ジ'クロロベン'ゼン	(mg/L)	0.0001											
	イソキサチオン	(mg/L)	0.0004										<0.0004	
	ダイアジノン	(mg/L)	0.0002										<0.0002	
	フェニトロチオン	(mg/L)	0.0003										<0.0003	
	イソプロチオラン	(mg/L)	0.0003										<0.0003	
	オキシ銅	(mg/L)	0.005										<0.005	
	クロロタロニル	(mg/L)	0.00007										<0.00007	
そ の 他 の 項 目	プロピザミド	(mg/L)	0.0002										<0.0002	
	E P N	(mg/L)	0.0005											
	ジクロロボス	(mg/L)	0.00002										<0.00002	
	フェノプロカルブ	(mg/L)	0.00004										<0.00004	
	イプロベンホス	(mg/L)	0.00007										<0.00007	
	クロルニトロフェン	(mg/L)	0.0001										<0.0001	
	トルエン	(mg/L)	0.0001											
	キシレン	(mg/L)	0.0002											
	774酸ジ'エチル'キシル	(mg/L)	0.0005											
	モリブデン	(mg/L)	0.007											
	アンチモン	(mg/L)	0.0003											
	ニッケル	(mg/L)	0.008											
	フェノール	(mg/L)	0.001											
	ホルムアルデヒド	(mg/L)	0.003											
	塩化ビニルモノマー	(mg/L)	0.0002											
	エピクロロヒドリン	(mg/L)	0.00003											
	全マンガン	(mg/L)	0.01											
	ウラン	(mg/L)	0.0002											
	フェノール類	(mg/L)	0.005											
	銅	(mg/L)	0.004											
	溶解性鉄	(mg/L)	0.02											
	溶解性マンガン	(mg/L)	0.01											
	アンモニア性窒素	(mg/L)	0.04	0.11	0.07		0.43	0.07			0.08	<0.04		
	磷酸態磷	(mg/L)	0.005	0.073	0.081		0.087	0.077			0.073	0.063		
	塩 分		2	27.81	33.10		23.93	33.08			27.68	33.71		
	クロロフィル a	(mg/m3)	0.1	20			43				27			
	フェオフィチン	(mg/m3)	0.1	5.7			14				7.1			
	陰イオン界面活性剤	(mg/L)	0.03											
	非イオン界面活性剤	(mg/L)	0.005											
	蛍光増白剤	(μg/L)	0.2											
	T P T	(μg/L)	0.006											
	T B T	(μg/L)	0.002											

*硝酸性窒素及び亜硝酸性窒素は報告下限値。

水質調査結果表（市計画海域）

速報値

平成22年度

水 域 名			川崎港港内					川崎港港内					川崎港港内				
			st.10 末広運河先					st.11 大師運河先					st.12 夜光運河先				
			調査地点名	定 量	上 層	下 層	2層混合	上下層	上 層	下 層	2層混合	上下層	上 層	下 層	2層混合	上下層	平均
調 査 項 目			月・日	下限値	7月7日			平均	7月7日			平均	7月7日			平均	
生活環境項目	天 候				曇り				曇り				曇り				
	採取時刻	(時：分)			9:04				8:46				8:26				
	全水深	(m)			11.0				14.0				7.6				
	採取水深	(m)			0.5	10.0			0.5	13.0			0.5	6.6			
	干潮時刻	(時：分)			7:08				7:08				7:08				
	満潮時刻	(時：分)			14:19				14:19				14:19				
	気 温	(℃)			27.2				26.2				25.2				
	水 温	(℃)			26.7	19.3		23.0	26.2	18.1		22.2	27.0	21.9		24.5	
	色 相				灰黄緑色・暗				灰黄緑色・暗				灰黄緑色・暗				
	臭 気				無臭	無臭			無臭	硫化水素（微）			無臭	無臭			
	透明度	(m)			1.5				1.7				1.4				
	外観コード				08				08				08				
	pH				7.7	7.9		7.8	8.3	7.9		8.1	8.2	8.1		8.2	
	DO	(mg/L)	0.1		4.9	1.5		3.2	7.8	2.2		5.0	7.1	4.0		5.6	
	COD	(mg/L)	0.1		6.1	1.4		3.8	5.0	1.3		3.2	4.4	2.1		3.3	
健康項目	大腸菌群数	(MPN/100mL)	2		3.3E+03				7.0E+02				1.3E+03				
	n-ヘキサン抽出物質	(mg/L)	0.5		<0.5				<0.5				<0.5				
	全窒素	(mg/L)	0.05		5.5	0.67		3.1	2.6	0.52		1.6	2.0	0.80		1.4	
	全 磷	(mg/L)	0.003		0.16	0.12		0.14	0.13	0.10		0.12	0.15	0.11		0.13	
	全亜鉛	(mg/L)	0.001														
	カドミウム	(mg/L)	0.0008			<0.0008					<0.0008				<0.0008		
	全シアン	(mg/L)	0.01			<0.01					<0.01				<0.01		
	鉛	(mg/L)	0.005			<0.005					<0.005				<0.005		
	六価クロム	(mg/L)	0.02			<0.02					<0.02				<0.02		
	砒 素	(mg/L)	0.005			<0.005					<0.005				<0.005		
	総水銀	(mg/L)	0.0005			<0.0005					<0.0005				<0.0005		
	アルキル水銀	(mg/L)	0.0005														
	P C B	(mg/L)	0.0005			<0.0005					<0.0005				<0.0005		
	ジクロロメタン	(mg/L)	0.0001														
	四塩化炭素	(mg/L)	0.0001			<0.0001					<0.0001				<0.0001		
要 監 視 項 目	1,2-ジ'クロロエタン	(mg/L)	0.0001														
	1,1-ジ'クロロエタン	(mg/L)	0.0001														
	トリス-1,2-ジ'クロロエタン	(mg/L)	0.0001														
	1,1,1-トリクロロエタン	(mg/L)	0.0001														
	トリクロロエタン	(mg/L)	0.0001			<0.0001					<0.0001				<0.0001		
	テトラクロロエタン	(mg/L)	0.0001			<0.0001					<0.0001				<0.0001		
	1,3-ジ'クロロ'ロベン'	(mg/L)	0.0002														
	チウラム	(mg/L)	0.0005														
	シマジン	(mg/L)	0.0003														
	チオベンカルブ	(mg/L)	0.0003														
	ベンゼン	(mg/L)	0.0001														
	セレン	(mg/L)	0.002														
	亜硝酸性窒素	(mg/L)	0.01	0.10	0.02				0.06	0.01			0.05	0.04			
	硝酸性窒素	(mg/L)	0.01	1.2	0.14				0.71	0.19			0.52	0.15			
	硝酸性窒素及び亜硝酸性窒素	(mg/L)	0.10*	1.3	0.19				0.77	0.24			0.57	0.20			
特 殊 項 目	1,4-ジオキサン	(mg/L)	0.005														
	クロロホルム	(mg/L)	0.0001														
	トリス-1,2-ジ'クロロエタン	(mg/L)	0.0001														
	1,2-ジ'クロロ'ロベン'	(mg/L)	0.0001														
	p-ジ'クロロベン'ゼン	(mg/L)	0.0001														
	イソキサチオン	(mg/L)	0.0004														
	ダイアジノン	(mg/L)	0.0002														
	フェニトロチオン	(mg/L)	0.0003														
	イソプロチオラン	(mg/L)	0.0003														
	オキシ銅	(mg/L)	0.005														
	クロロタロニル	(mg/L)	0.00007														
	プロピザミド	(mg/L)	0.0002														
	E P N	(mg/L)	0.0005														
	ジクロロボス	(mg/L)	0.00002														
	フェノアルカルブ	(mg/L)	0.00004														
そ の 他 の 項 目	イプロベンホス	(mg/L)	0.00007														
	クロルニトロフェン	(mg/L)	0.0001														
	トルエン	(mg/L)	0.0001														
	キシレン	(mg/L)	0.0002														
	774酸ジ'エチル'キシル	(mg/L)	0.0005														
	モリブデン	(mg/L)	0.007														
	アンチモン	(mg/L)	0.0003														
	ニッケル	(mg/L)	0.008														
	フェノール	(mg/L)	0.001														
	ホルムアルデヒド	(mg/L)	0.003														
	塩化ビニルモノマー	(mg/L)	0.0002														
	エピクロロヒドリン	(mg/L)	0.00003														
	全マンガン	(mg/L)	0.01														
	ウラン	(mg/L)	0.0002														
	フェノール類	(mg/L)	0.005														
そ の 他 の 項 目	銅	(mg/L)	0.004														
	溶解性鉄	(mg/L)	0.02														
	溶解性マンガン	(mg/L)	0.01														
	アンモニア性窒素	(mg/L)	0.04														
	磷酸態磷	(mg/L)	0.005														
	塩 分		2	18.99	32.72				23.26	33.19			24.29	30.37			
	クロロフィル a	(mg/m3)	0.1	26					34				26				
	フェオフィチン	(mg/m3)	0.1	6.6					11				12				
	陰イオン界面活性剤	(mg/L)	0.03	<0.03					<0.03				<0.03				
	非イオン界面活性剤	(mg/L)	0.005	<0.005					<0.005				<0.005				
	蛍光増白剤	(μg/L)	0.2														
	T P T	(μg/L)	0.006														
	T B T	(μg/L)	0.002														

*硝酸性窒素及び亜硝酸性窒素は報告下限値。

水質調査結果表（市計画海域）

速報値

平成22年度

水 域 名			川崎港港内					川崎港港内					川崎港港内				
			st.13 桜堀運河先					st.14 池上運河先					st.15 南渡田運河先				
調査地点名			定 量		上 層	下 層	2層混合	上下層	上 層	下 層	2層混合	上下層	上 層	下 層	2層混合	上下層	
調 査 項 目	層	月・日	下 限 値	平均													平均
天 候			曇り					曇り					曇り				
採取時刻	(時：分)		11:44					11:24					11:06				
全水深	(m)		9.1					12.7					9.0				
採取水深	(m)		0.5	8.1				0.5	11.7				0.5	8.0			
干潮時刻	(時：分)		7:08					7:08					7:08				
満潮時刻	(時：分)		14:19					14:19					14:19				
気 温	(℃)		28.0					28.0					27.6				
水 温	(℃)		26.6	19.6			23.1	26.2	18.9			22.6	28.7	20.4		24.6	
色 相			灰黄緑色・暗					灰黄緑色・暗					灰黄緑色・暗				
臭 気			無臭	無臭				無臭	無臭				無臭	無臭			
透明度	(m)		1.7					1.5					1.5				
外観コード			00					00					00				
生活環境項目	pH		8.0	7.9			8.0	8.2	7.9			8.1	8.1	8.0		8.1	
	DO	(mg/L)	0.1	7.3	1.3		4.3	9.6	1.8			5.7	7.0	2.0		4.5	
	COD	(mg/L)	0.1	5.1	1.7		3.4	5.2	1.6			3.4	4.4	2.1		3.3	
	大腸菌群数	(MPN/100mL)	2	4.9E+02				1.1E+03					3.3E+03				
	n-ヘキサン抽出物質	(mg/L)	0.5	<0.5				<0.5					<0.5				
	全窒素	(mg/L)	0.05	3.6	0.69		2.1	2.7	0.62			1.7	2.4	0.73		1.6	
	全 磷	(mg/L)	0.003	0.35	0.16		0.26	0.20	0.11			0.16	0.16	0.13		0.15	
	全亜鉛	(mg/L)	0.001														
	カドミウム	(mg/L)	0.0008		<0.0008					<0.0008				<0.0008			
	全シアン	(mg/L)	0.01		<0.01					<0.01				<0.01			
	鉛	(mg/L)	0.005		<0.005					<0.005				<0.005			
	六価クロム	(mg/L)	0.02		<0.02					<0.02				<0.02			
	砒 素	(mg/L)	0.005		<0.005					<0.005				<0.005			
	総水銀	(mg/L)	0.0005		<0.0005					<0.0005				<0.0005			
	健康項目	アルキル水銀	(mg/L)	0.0005													
P C B		(mg/L)	0.0005		<0.0005				<0.0005				<0.0005				
ジクロロメタン		(mg/L)	0.0001														
四塩化炭素		(mg/L)	0.0001		<0.0001				<0.0001				<0.0001				
1,2-ジ'クロロエチン		(mg/L)	0.0001														
1,1-ジ'クロロエチン		(mg/L)	0.0001														
シス-1,2-ジ'クロロエチン		(mg/L)	0.0001														
1,1,1-トリクロロエタン		(mg/L)	0.0001		<0.0001				<0.0001				<0.0001				
1,1,1,2-トリクロロエタン		(mg/L)	0.0001														
トリクロロエチン		(mg/L)	0.0001		<0.0001				<0.0001				<0.0001				
テトラクロロエチン		(mg/L)	0.0001		<0.0001				<0.0001				<0.0001				
1,3-ジ'クロロ'ロベン'		(mg/L)	0.0002														
チウラム		(mg/L)	0.0005														
シマジン		(mg/L)	0.0003														
チオベンカルブ		(mg/L)	0.0003														
要 監 視 項 目	ベンゼン	(mg/L)	0.0001														
	セレン	(mg/L)	0.002														
	亜硝酸性窒素	(mg/L)	0.01	0.10	0.04			0.08	0.03				0.08	0.03			
	硝酸性窒素	(mg/L)	0.01	0.46	0.09			0.37	0.10				0.37	0.11			
	硝酸性窒素及び亜硝酸性窒素	(mg/L)	0.10*	0.56	0.14			0.45	0.15				0.45	0.16			
	1,4-ジオキサン	(mg/L)	0.005														
	クロロホルム	(mg/L)	0.0001														
	トリス-1,2-ジ'クロロエチン	(mg/L)	0.0001														
	1,2-ジ'クロロ'ロベン'	(mg/L)	0.0001														
	p-ジ'クロロベン'ゼン	(mg/L)	0.0001														
	イソキサチオン	(mg/L)	0.0004														
	ダイアジノン	(mg/L)	0.0002														
	フェニトロチオン	(mg/L)	0.0003														
	イソプロチオラン	(mg/L)	0.0003														
	オキシシ銅	(mg/L)	0.005														
特 殊 項 目	クロロタロニル	(mg/L)	0.00007														
	プロピザミド	(mg/L)	0.0002														
	E P N	(mg/L)	0.0005														
	ジクロロボス	(mg/L)	0.00002														
	フェノブカルブ	(mg/L)	0.00004														
	イプロベンホス	(mg/L)	0.00007														
	クロルニトロフェン	(mg/L)	0.0001														
	トルエン	(mg/L)	0.0001														
	キシレン	(mg/L)	0.0002														
	774酸ジ'エチル'キシル	(mg/L)	0.0005														
	モリブデン	(mg/L)	0.007														
	アンチモン	(mg/L)	0.0003														
	ニッケル	(mg/L)	0.008														
	フェノール	(mg/L)	0.001														
	ホルムアルデヒド	(mg/L)	0.003														
塩化ビニルモノマー	(mg/L)	0.0002															
エビクロロヒドリリン	(mg/L)	0.00003															
そ の 他 の 項 目	全マンガン	(mg/L)	0.01														
	ウラン	(mg/L)	0.0002														
	フェノール類	(mg/L)	0.005														
	銅	(mg/L)	0.004														
	溶解性鉄	(mg/L)	0.02														
	溶解性マンガン	(mg/L)	0.01														
	アンモニア性窒素	(mg/L)	0.04														
	磷酸態磷	(mg/L)	0.005														
	塩 分		2	21.03	32.04			22.86	32.76				23.41	31.73			
	クロロフィル a	(mg/m3)	0.1	19				27					24				
	フェオフィチン	(mg/m3)	0.1	7.3				8.3					7.6				
	陰イオン界面活性剤	(mg/L)	0.03	<0.03				<0.03					<0.03				
	非イオン界面活性剤	(mg/L)	0.005	<0.005				<0.005					<0.005				
	蛍光増白剤	(μg/L)	0.2														
	T P T	(μg/L)	0.006														
T B T	(μg/L)	0.002															

*硝酸性窒素及び亜硝酸性窒素は報告下限値。